



# Tennessee Traditional Flies

[WWW.TENNESSEETRADITIONALFLIES.COM](http://WWW.TENNESSEETRADITIONALFLIES.COM)

## Hares Ear Czech Nymph

Credit Tim Cimmisa

April - September

Hook: Allen J100BL 8-12

Bead: Slotted Tungsten 10=1/8

Thread: UNI 6/0 Olive Dun


Ribbing: Brown Ultra Wire Brassie

Body: SLF Spiky Dubbing (natural Fox or Brown) or Hareline Dubbin (Hare's Ear) HD4

Optional: Lead weight, Legs (hen hackle or Partridge), Scud Back

<https://www.youtube.com/watch?v=IN2andIBtVY>

Step 1: Place the bead on the hook and mount the hook in your vise.



Step 2: Start the thread behind the bead.




Step 3: Lay down a small thread base behind the bead.



Step 4: Attach thread just behind the thread that you laid down in the prior step.



Step 5: Wrap your thread bac to the bend of the hook and slightly down the bend.



Step 6: Add dubbing to your thread and dub the body making it thicker to the thorax.



Step 7: Wrap your thread (about four wraps) in front of the Thorax. Wrap wire up to the bead to add some weight. Lock in the wire with your thread. Cut tag



Step 8: Create a dubbing loop and add dubbing to the loop.



Step 9: Spin the dubbing loop to attach the dubbing to the thread



Step 10: Rub the dubbing gently with your finger to spread out the dubbing then spin the loop some more.


Be careful not to over spin and break your thread.



Step 11: wrap the dubbing loop while pulling back with you fingers on ever wrap up behind the bead.



Step: 12 Tie off the dubbing loop. Trim the loop tag.




Step 13: Loop finish and cement the thread.



Step: 14 Use a Velco dubbing brush to tease out the abdomen dubbing.





Step 15: Use a brass wire brush forward to tease out the guard hare then brush back to form the legs.

Be careful not to catch any of the thread which will break.



This fly looks wonderful when it gets wet.

